

BUZZ  Pack<sup>®</sup>

Packing on command



# Buzz n' Pack<sup>®</sup>

Packing on command





### **Application:**

Decentralized packaging

E-Commerce

Designed for logistics and contract packaging operations

### **Features:**

Machine packaging at the touch of a button

High protection and cushioning function

### **Advantages:**

Consistent high packing speeds

Always the same packing process

Consistent packaging costs

Easy to use machine

## Packing on command

### The advantages at a glance:

- Up to 4 packaging cycles per minute (!)
- 4 standard sizes available
- Adjustable between sizes in seconds
- No programming involved
- Always consistent packing process, no matter who is packing
- No fluctuations in consumption
- Employee training takes 5 minutes
- Clearly safest product protection due to firm fixation
- Significantly less packaging waste at the end customer
- Dust-free shipping
- Use of recycle film with up to 65% content possible
- Immediately ready for use, no thermal energy heavy current or compressed air is necessary
- Small compact machine that fits everywhere



### The method:

The tray is adjusted on 4 sizes with a hand lever which is in close proximity.

The appropriate tray (S, M, L, XL) is placed on the machine, the holder fixes the tray automatically. Then the goods to be shipped (several are also possible) are placed on the tray. By pressing a button (buzzer) the packing process is started. Simultaneously the employee can erect the shipping carton or prepare shipping documents. Immediately afterwards, the tray is wrapped and ready to be placed in the shipping carton.

With this machine system, everything is child's play and perfectly packed. The costs are always the same and included in the tray price are the machine and film. The machine system is provided for you, foil included. You have no fluctuations due to more or less filling material. Goods up to 10 kg are no problem. Due to perfectly designed outer cartons and reinforcements, shipping is fast and safe.



**Buzz n'Pack 400er**  
(S, M, L)



**Buzz n'Pack 600er**  
(S, M, L and XL)

## Packing on command



### Place tray

The tray is placed up to the guard. After that the tray locks automatically.



### Place product

The goods to be packed are placed on the positioned tray (even more than one product is possible).



### Press buzzer

The buzzer starts the packing process. The goods are wrapped tightly with film (of course with recycled content film) onto the tray. During the packaging process, the user can prepare other activities (e.g. assemble the outer carton). The buzzer housing is magnetic and can be placed anywhere.



### into the box !

Your product is ready for despatch.

## The Standard Program



Maximum product size: **200 x 160 x 70 mm**

### Product data S

Overall transport box dimensions 246 x 190 x 112 mm  
Fefco 0703 with crash-lock base and closing lid with self-adhesive strip and tear strip  
or as folding box Fefco 0201  
Quality B 1.20

Article-Code	Packing type
<b>BNPS</b>	Tray S
<b>BNPSV</b>	Reinforcement
<b>UK703BNPS</b>	Outer carton with quick release fastener F0703
<b>UK201BNPS</b>	Folding box outer carton F0201



Maximum product size: **270 x 200 x 80 mm**

### Product data M

Overall transport box dimensions 316 x 236 x 122 mm  
Fefco 0703 with crash-lock base and closing lid with self-adhesive strip and tear strip  
or as folding box Fefco 0201  
Quality B 1.30

Article-Code	Packing type
<b>BNPM</b>	Tray M
<b>BNPMV</b>	Reinforcement
<b>UK703BNPM</b>	Outer carton with quick release fastener F0703
<b>UK201BNPM</b>	Folding box outer carton F0201



Maximum product size: **350 x 230 x 220 mm**

### Product data L

Overall transport box dimensions 406 x 266 x 262 mm  
Fefco 0703 with crash-lock base and closing lid with self-adhesive strip and tear strip  
or as folding box Fefco 0201  
Quality B 1.40

Article-Code	Packing type
<b>BNPL</b>	Tray L
<b>BNPLV</b>	Reinforcement
<b>UK703BNPL</b>	Outer carton with quick release fastener F0703
<b>UK201BNPL</b>	Folding box outer carton F0201



Maximum product size: **530 x 350 x 250 mm**

### Product data XL

Overall transport box dimensions 602 x 402 x 303 mm  
Fefco 0703 with crash-lock base and closing lid with self-adhesive strip and tear strip  
or as folding box Fefco 0201  
Quality EB 2.30

Article-Code	Packing type
<b>BNPXL</b>	Tray XL
<b>BNPXLV</b>	Reinforcement
<b>UK703BNPXL</b>	Outer carton with quick release fastener F0703
<b>UK201BNPXL</b>	Folding box outer carton F0201

With the four standard sizes shown on the left, you can cover all of your packaging contents. You can choose from 2 different shipping carton types.

Illustrations on the left: Envelope carton with quick release fastener, Fefco 0703



Example application

# When do you start buzzing?

For more information  
please do not hesitate  
to contact us.

Doc Emba  
The Explanatory Engineer

Alter Postweg 68  
D - 32549 Bad Oeynhausen  
Tel.: +49 (0) 57 31 - 30 888 - 0  
Fax: +49 (0) 57 31 - 30 888 - 40

